




WATER BALL VALVES

**MISSOURI**

795102



- F/F water ball valve with aluminium lever
- Thread EN 10226-1
- Temperature range min -10°C - max +95°C

Valve suitable for distributing and interrupting liquids that are generally non-corrosive, compatibly with the valve materials. Plumbing, heating, industrial and agricultural sectors are the ideal fields of application. It's a full bore valve and the ball seal is guaranteed by two PTFE seats.

The operating mechanism seal features two O-Rings with an internally installed stem and anti-ejection system.

It is advisable to carry out a complete maneuver cycle at least once every three months in order to prevent limescale deposits that could compromise the valve functioning.



**COMPONENTS**

| POS. | PART NAME      | N° | MATERIAL                          |
|------|----------------|----|-----------------------------------|
| 1    | Body           | 1  | CW617N UNI-EN 12165 nickel-plated |
| 2    | Seal           | 2  | PTFE                              |
| 3    | Ball           | 1  | CW617N UNI-EN 12165 chrome-plated |
| 4    | End connection | 1  | CW617N UNI-EN 12165 nickel-plated |
| 5    | Stem           | 1  | CW617N UNI-EN 12164               |
| 6    | O-Ring         | 2  | NBR                               |
| 7    | Lever          | 1  | Lacquered aluminium               |
| 8    | Nut            | 1  | Galvanised iron                   |

**DIMENSIONS**

| DN | A         | B   | C  | D   | PN | KV*    |
|----|-----------|-----|----|-----|----|--------|
| 15 | Rp 1/2"   | 59  | 43 | 95  | 40 | 10,05  |
| 20 | Rp 3/4"   | 68  | 52 | 95  | 40 | 21,57  |
| 25 | Rp 1"     | 80  | 59 | 120 | 40 | 49,14  |
| 32 | Rp 1.1/4" | 96  | 69 | 150 | 30 | 68,65  |
| 40 | Rp 1.1/2" | 106 | 81 | 150 | 30 | 98,83  |
| 50 | Rp 2"     | 130 | 89 | 150 | 30 | 177,04 |

PRESSURE DROP see chart at the end of catalogue

**PACKAGING**

|             | Rp 1/2"         | Rp 3/4"         | Rp 1"           | Rp 1.1/4"       | Rp 1.1/2"       | Rp 2"           |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| <b>CODE</b> | <b>79510204</b> | <b>79510206</b> | <b>79510208</b> | <b>79510210</b> | <b>79510211</b> | <b>79510213</b> |
| PCS BOX     | 12              | 10              | 8               | -               | -               | -               |
| PCS CARTON  | 120             | 100             | 72              | 25              | 16              | 8               |